1 2

is 120 pixels.

is 40 characters.

4.

1	1. A method for translating tabular data prepared for a first display
2	format into a second display format, comprising:
3	determining if the tabular data includes nested tables, wherein the nested
4	tables include an inner table and outer tables;
5	removing tabular data formatting if the inner table contains less than one
6	column or less than one row;
2	removing tabular data formatting if the inner table contains more than one
8	column exceeding a first predetermined width allowance;
g	removing tabular data formatting if the inner table has a horizontal display
10	length greater than a second predetermined width allowance; and
	removing tabular data formatting for the outer tables.
# #****	
*- <b>1</b>	2. The method of claim 1, wherein removing tabular data formatting if
2	the inner table contains more than one column exceeding a first predetermined width
3	allowance, comprises:
4	examining columns in the inner table to determine if more than one column
5	contains a form input field, an image exceeding a maximum pixel width allowance, or
6	text exceeding a maximum text length allowance.
1	3. The method of claim 2 wherein the maximum pixel width allowance

The method of claim 2 wherein the maximum text length allowance

2	format into
3	
4	maximum
5	
6	
7	maximum
8	
9	contains in
	input field
	allowance;
	maximum
2	allowance
1	
2	

5

1

5.	A	method	of	translating	tabular	data	prepared	for	a	first	display
format into a second display format, comprising:					g:						

determining if columns in the tabular data contain image data exceeding a pixel width allowance;

determining if columns in the tabular data contains a form input field;

determining if columns in the tabular data contain text data exceeding a text length allowance; and

removing tabular formatting if more than one column in the tabular data mage data exceeding the maximum pixel width allowance, contains a form or contains text data exceeding a maximum text length allowance.

> 6. The method of claim 5, further comprising:

determining if the tabular data exceeds an absolute maximum width and

removing tabular formatting if the tabular data exceeds the absolute width allowance.

- 7. The method of claim 6 wherein the absolute maximum width is 350 pixels.
  - 8. The method of claim 6, further comprising:

determining if the tabular data contains related images if the tabular data exceeds the absolute maximum width allowance; and

sizing the related images to fit within the absolute maximum width 4 allowance.

1		9.	The method of claim 5, further comprising:						
2		deter	mining if the tabular data contains more than a single row;						
3		determining if the tabular data contains more than a single column; and							
4		remo	ving the tabular formatting if the tabular data contains only a single						
5	row or a sing	le colu	ımn.						
1		10.	The method of claim 5, further comprising:						
2		deten	mining if the tabular data contains nested tables, wherein the nested						
3	tables includ	e an in	ner table and at least one outer table;						
		remo	ving tabular formatting for the at least one outer table.						
1		11.	The method of claim 5 wherein the maximum pixel width allowance						
2	is 120 pixels	•							
iga ga									
1		12.	The method of claim 5 wherein the maximum text length allowance						
2	is 40 charact	ers.							
		13.	A method of reformatting display data, comprising:						
2		receiv	ving the display data in a format suitable for displaying on a first						
3	display device	e;							
4		deten	mining whether the received display data contains tabular data;						
5		remov	ving tabular formatting from the display data to yield display data						
6	suitable for displaying on a second display device, the second display device having a								
7	smaller displ	ay area	a than the first display device.						
1		14.	The method of claim 13 wherein removing the tabular formatting						

includes removing one or more html table tags from the display data.

2

14

15.

The method of claim 13 wherein the display data is a web page.

1	16. The method of claim 13 wherein the display data is HTML data.
1	17. A method of reformatting display data, comprising:
2	receiving the display data in a format suitable for displaying on a first
3	display device having first display area dimensions;
4	removing tabular formatting from the display data to yield display data
5	suitable for displaying on a second display device having second display area
6	dimensions; and
7	sending the display data with the tabular formatting removed to the second
2 8	display device.
	18. A system for translating tabular data from a first display format to a
2	second display format, comprising:
	a single row/single column heuristic module configured to examine tabular
4	data and remove tabular formatting from the tabular data if the tabular data contains less
-5	than two columns or less than two rows;
6	a maximum width display heuristic module configured to examine tabular
7	data and remove tabular formatting from the tabular data if the tabular data indicates a
8	horizontal display length exceeding an absolute maximum width allowance;
9	a wide column display heuristic module configured to examine tabular data
10	and remove tabular formatting if the tabular data contains more than one column
11	exceeding a predetermined maximum column width; and
12	a nested table display heuristic module configured to examine tabular data,
13	determine if the tabular data indicates nested tables, containing an inner table and at least

one outer table, and remove tabular formatting from the at least one outer table.

- /
8
9
10 11
11
2
1

3

4

5

1

3

4

5

6

l	19.	The system	of claim	18	wherein	the	wide	column	display	heuristic
2	module further comp	orises:								

- a first column examiner configured to indicate that a column in the tabular data exceeds the predetermined maximum column width if the column contains image data exceeding a maximum pixel width allowance;
- a second column examiner configured to indicate that a column in the tabular data exceeds the predetermined maximum column width if the column contains a form input field; and
- a third column examiner configured to indicate that a column in the tabular data exceeds the predetermined maximum column width if the column contains text data exceeding a maximum text length allowance.
- 20. The method of claim 19 wherein the maximum pixel width allowance is 120 pixels.
- 21. The method of claim 19 wherein the maximum text length allowance is 40 characters.
- 22. The method of claim 18 wherein the maximum width display heuristics module further comprises:
- a related image module configure to determine if images exceeding the absolute maximum width allowance are related and resize related images to fit within the absolute maximum width allowance.
  - 23. A proxy server, comprising:
- a processor configured to process requests for remote data pages received from portable computing devices;

4

5

1

2

7

8

1

4	display heuristics software configured to examine tabular data in remote
5	data pages and translate the tabular data from a first display format to a second display
6	format; and

- a memory configured to retain the display heuristics software and data generated by the display heuristics software during examination of the tabular data.
- 24. The proxy server of claim 23, wherein the display heuristics software further comprises:
- a single row/single column heuristic module configured to the examine tabular data and remove tabular formatting from the tabular data if the tabular data contains less than two columns or less than two rows.
- 25. The proxy server of claim 23, wherein the display heuristics software further comprises:
- a maximum width display heuristic module configured to examine the tabular data and remove tabular formatting from the tabular data if the tabular data indicates a horizontal display length exceeding an absolute maximum width allowance.
- 26. The proxy server of claim 23, wherein the display heuristics software further comprises:
- a wide column display heuristic module configured to examine the tabular data and remove tabular formatting if the tabular data contains more than one column exceeding a predetermined maximum column width.
- 27. The proxy server of claim 23, wherein the display heuristics software further comprises:
- a nested table display heuristic module configured to examine the tabular data, determine if the tabular data indicates nested tables, containing an inner table and at

5 least one outer table, and remove tabular formatting from the at least one outer table.